



Tracking Number:

LNP NXX LERG Assignee Transfer Form

**Section B:**

(NXX LERG Assignee to provide this data **ONLY** if NPAC Activate Block Range is marked 'YES')<sup>4</sup>

CLASS DPC <sup>5</sup>	_____
CLASS SSN	_____
LIDB DPC <sup>6</sup>	_____
LIDB SSN	_____
CNAM DPC <sup>7</sup>	_____
CNAM SSN	_____
ISVM DPC <sup>8</sup>	_____
ISVM SSN	_____
WSMSC DPC <sup>9</sup>	_____
WSMSC SSN	_____

**Section C:**

Once the Pooling Analyst has Activated/Modified the block, this section is completed. For a pooling NXX, NPAC sends an e-mail to the PA and new LERG Assignee upon completion. For a non-pooling NXX, NPAC sends an e-mail to the new LERG Assignee upon completion.

<b>NXX Request Complete:</b>	Yes ___ No ___
Complete Date (MMDDYYYY)	__/__/____
Complete Time (HHMM)	__/____
NPAC Personnel performing change _____	

<b>New LERG Assignee sent Completed Form:</b>	Yes ___ No ___
Mailed Date (MMDDYYYY)	__/__/____
Mailed Time (HHMM)	__/____
Contact Name _____	

<b>PA sent Completed Form:</b>	Yes ___ No ___
Mailed Date (MMDDYYYY)	__/__/____
Mailed Time (HHMM)	__/____
Contact Name: _____	

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Note:** The new LERG Assignee shall complete this form. A separate LNP NXX LERG Assignee Transfer form is to be completed for each NPA-NXX requested.

<sup>4</sup> NANC 191 and NANC 291 apply. NANC 191 states that whenever a DPC value is specified, a SSN value must be provided (and vice versa). The three-digit values used for the first three-digit portion of the DPC must be between 001 and 255, and the three-digit values used for the next two three-digit portions of the DPC must be between 000 and 255.

NANC 291 states that the SSN value must be 000. No other value is accepted.

<sup>5</sup> Custom Local Area Signaling Services (CLASS) DPC for 10-digit GTT for CLASS features for the 1K block.

<sup>6</sup> Line Information Database (LIDB) DPC for 10-digit GTT for LIDB features for the 1K block.

<sup>7</sup> Calling Name Delivery (CNAM) DPC for 10-digit GTT for CNAM features for the 1K block.

<sup>8</sup> Inter-Switch Voice Mail (ISVM) DPC for 10-digit GTT for ISVM features for the 1K block.

<sup>9</sup> Wireless Short Message Service Center (WSMSC) DPC for 10-digit GTT for WSMCS features. This field is only required if the Service Provider supports WSMSC data.

Tracking Number:

LNP NXX LERG Assignee Transfer Form